



Guangzhou Wangli Auto Parts Co., Ltd.



35,000 mm x 62,000 mm x 14,000 mm NTN
6007LLBNR deep groove ball bearings

Bearing No. 6007LLBNR

6007LLBNR Bearing 2D drawings and 3D CAD models

Size	35x62x14 mm
Bore Diameter	35,000 mm
Outer Diameter	62,000 mm
Width	14,000 mm
d	35,000 mm
D	62,000 mm
B	14,000 mm
C	14,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.16
EAN	4547359547023
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric



Guangzhou Wangli Auto Parts Co., Ltd.

Long Description	35MM Bore; 62MM Outside Diameter; 14MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6007LLBNR/2A
Weight / LBS	0.342
Outside Diameter	2.441 Inch 62 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Bore	1.378 Inch 35 Millimeter
bore diameter:	35 mm
precision rating:	ISO Class 0
outside diameter:	62 mm
finish/coating:	Uncoated
overall width:	14 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	14 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	14 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	12000 rpm
internal clearance:	CN



Guangzhou Wangli Auto Parts Co., Ltd.

fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	14000 RPM
dynamic load capacity:	16000 N
series:	60
static load capacity:	10300 N
manufacturer product page:	Click here