



Guangzhou Wangli Auto Parts Co., Ltd.



88506 Bearing 2D drawings and 3D CAD models

30,000 mm x 62,000 mm x 24,000 mm NTN
88506 deep groove ball bearings

Bearing No. 88506

Size	30x62x24 mm
Bore Diameter	30,000 mm
Outer Diameter	62,000 mm
Width	24,000 mm
d	30,000 mm
D	62,000 mm
B	24,000 mm
C	24,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359590753
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Extended Inner Ring
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric



Guangzhou Wangli Auto Parts Co., Ltd.

Long Description	30MM Bore; 62MM Outside Diameter; 16MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Extended Inner Ring Internal Special Features; C0-Medium Internal Cleara
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.571
Inner Race Width	0.945 Inch 24 Millimeter
Outer Race Width	0.63 Inch 16 Millimeter
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 0
outside diameter:	62 mm
finish/coating:	Uncoated
overall width:	24 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	24 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	16 mm
snap ring included:	Without Snap Ring



Guangzhou Wangli Auto Parts Co., Ltd.

maximum rpm (grease):	7300 rpm
internal clearance:	CN
fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C
series:	88
dynamic load capacity:	19600 N
manufacturer product page:	Click here
static load capacity:	11300 N